



501-11

Classic Conset Design

Our mechanical masterpiece. A true workhorse with a Bosch motor provides the ultimate reliability. It's distinctive and stylish modesty panel set this desk apart from all others. Twin upper support rails double as cable management, plus an optional cable tray. An impressive 150 kg frame peak lifting load, you get nothing less than an exceptional electric height adjustable desk, now proven over 17 years. Customers own adaptations have included for tall banks of multiple screens and postroom products.

8788

501-19

Single Column Conset Design
'Center' sturdy and compact, a symmetrical design with access to all sides.
'Basic' excellent for grouping tables together.
'Design' lends a unique style to this series with an attractive crescent shaped base.
Options for wheels and a rechargeable battery pack
make this a very powerful product series in more ways than one.
The column and components can be purchased individually and up to 6 can be synchronised.

12



501-23

Open Conset Design

Very strong and stylish with an integrated cable tray. Its expandable length makes the frame adjustable for many top sizes. Perfect for meeting tables and large work surfaces. Optional 3-column versions for long meeting tables and L-shaped configurations. Frame peak lifting load 200 Kg Up to 6 of the powerful large columns can be synchronised Possibilities include trading desks with multiple screens above.

501-25

Changes are here

501-25 and 501-29 has been merged to make one new series using the 501-25 item codes. All the traverse crossbeams are the same as before and so are the feet, the vertical column has a minor cosmetic differences but all significant changes are hidden inside to give a more refined operation with an impressive lifting capacity of 120kg.

This new internal mechanism combined with the exceptionally high inherent strength given by the upper and lower crossbeams makes the new 501-25 series one of the toughest frames around. Ideal for schools and student accommodation or ideal for places of high demand.

2 and 3 Legged L shape versions are now on-line please see conset.org.uk



501-33

Open Conset Design

An inexpensive sit-stand desk but still with the full Conset pedigree, security and philosophy "that ergonomics should not be expensive" Three colours, Silver, Black or White. Perfect for the modern hi-tech workplace and any large project, just 3 minutes to assemble each frame. Frame peak lifting load 80 Kg.


501-37

Striking open design

Striking open design defines 501-37. The three stage frame is tested and approved according to ansi / bifma x5.5-2014. The frame is available in three different colors; silver, black and white. Choose from fixed widths or an expandable bracket for more flexibility. Easily assembled in a few quick steps.







Open Conset Design

The elegant design detail of the foot and offset double telescopic columns set this series apart in the market. Three colours, Silver, Black or White. 3 legged options for large L shape tops and for 120 degree tops. Frame peak lifting load 100 Kg.

1


501-47

Life in the fast lane

A stunning chrome option and plenty of lifting power, this series is perfect for fast standing meetings without chairs. Two or three legged options for many sizes of top. A minimalist, super efficient look for any executive office or meeting space. Chrome, black or white.

12121

mmun



501-49

Open Conset Design

An impressive timeless design and voted favourite in our straw poll amongst the general public. The round columns and symmetrical design exude an exclusive feel for any workplace. Three colours, Silver, Black or White. Frame peak lifting load 100 Kg


aut

501-88

Back2Back Conset Design The back2back system enables large corporations and small businesses alike to have a high specification but a low cost per head.

The system has numerous standard widths Three colours, Silver, Black or White Frame peak lifting load 100 Kg and double telescopic columns giving an impressive height range.

Optional cable tray and divider screen.



Environment images Downloadable via login at conset.org.uk

501-19



















































ConSet
















22 For more choices see Conset.org.uk

Environment images Downloadable via login at conset.org.uk

ConSet



Product photo featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (£)
P	196cm	501-11 9S116 501-11 9S156 501-11 9S196 501-11 9B116 501-11 9B156 501-11 9B196 *	Silver Silver Silver Black Black Black	65-122	28	150	634 643 657 634 643 657
P	W96Cm 45cm	501-11 9S156-156A 501-11 9S196-156A 501-11 9S196-196A 501-11 9B156-156A 501-11 9B196-156A 501-11 9B196-196A *	Silver Silver Silver Black Black Black	65-122	28	125	957 992 1027 957 992 1027
T	90cm	501-19 9SW 501-19 9BW *	Silver Black	68-120	28	80	448 448
T	60cm	501-19 9S060 501-19 9B060 *	Silver Black	68-120	28	80	501 490
L	95cm	501-19 9S095 501-19 9B095 *	Silver Black	68-120	28	80	474 469
L	92cm	501-19 9S117 501-19 9B117 *	Silver Black	68-120	28	80	469 469

roduct photo featured image	Dimensional drawing * featured image	ltem no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (£)
Line E	501-19 9S120 501-19 9B120 *	Silver Black	68-120	28	80	563 563	
TTT		501-23 9SW2 501-23 9SW3 501-23 9BW2 501-23 9BW3 *	Silver Silver Black Black	68-120	22	175	876 1274 876 1274
1	132cm - 192cm	501-23 9S200 501-23 9B200 *	Silver Black	68-120	22	175	895 895
11	238-318cm ឆ្ល ើ ព្រៃលោក ពេលព្រៃការ ពេលព ្រី	501-23 9S400K 501-23 9B400K *	Silver Black	68-120	22	175	1314 1314
M	142 - 192cm 57 67 - 25 40cm	501-23 9S190-190A 501-23 9B190-190A *	Silver Black	68-120	22	175	1375 1375
P	172cm ۲	501-25 9S084 501-25 9S133 501-25 9S152 501-25 9S172 *	Silver Silver Silver Silver	68-120	25	120	416 421 429 436

Product photo * featured image	Dimensional drawing * featured image	ltem no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (£)
P	57 172cm 58 57 37cm	501-25 9S152-152A 501-25 9S172-172A *	Silver Silver	68-120	25	100	735 744
ÚI	172cm	501-33 9W092 501-33 9W112 501-33 9W129 501-33 9W152 501-33 9W172 501-33 9S092 501-33 9S129 501-33 9S129 501-33 9S152 501-33 9S172 501-33 9B172 501-33 9B129 501-33 9B152 501-33 9B172 *	White White White White Silver Silver Silver Silver Black Black Black Black Black	68-118	25	80	388 391 396 401 388 391 396 401 388 391 396 396 401
U	112cm - 152cm	501-33 9W112-152 501-33 9S112-152 501-33 9B112-152 *	White Silver Black	68-118	25	80	427 427 427
11	172cm	501-37 9W072 501-37 9W092 501-37 9W129 501-37 9W129 501-37 9W152 501-37 9W172 501-37 9S092 501-37 9S092 501-37 9S129 501-37 9S172 501-37 9S172 501-37 9B072 501-37 9B122 501-37 9B129 501-37 9B129 501-37 9B152 501-37 9B172 *	White White White White White White Silver Silver Silver Silver Silver Silver Silver Black Black Black Black Black	57-122	32	100	455 456 459 464 464 469 455 456 459 464 464 455 456 459 464 464 464

Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (£)	
\bigcup	112-152cm ទ្រុំ ទ្រុំ	501-37 9W112-152 501-37 9S112-152 501-37 9B112-152 *	White Silver Black	57-122	32	100	495 495 495	
M	55 172cm 59 48cm	501-37 9W112-091C 501-37 9W152-091C 501-37 9W152-114A 501-37 9W152-154A 501-37 9W172-114A 501-37 9W172-174A 501-37 9S152-091C 501-37 9S152-091C 501-37 9S152-114A 501-37 9S172-114A 501-37 9S172-174A 501-37 9B122-091C 501-37 9B152-1091C 501-37 9B152-154A 501-37 9B152-154A 501-37 9B172-114A 501-37 9B172-114A	White White White White White Silver Silver Silver Silver Silver Silver Silver Silver Black Black Black Black Black Black Black	57-122	32	100	679 680 678 717 680 688 679 680 678 717 680 688 679 680 678 717 680 678 717 680 688	
11	172cm	501-43 9W092 501-43 9W112 501-43 9W129 501-43 9W152 501-43 9W172 501-43 9S192 501-43 9S129 501-43 9S152 501-43 9S152 501-43 9B172 501-43 9B129 501-43 9B152 501-43 9B172 *	White White White White Silver Silver Silver Silver Silver Black Black Black Black Black	65-125	32	100	475 478 483 483 488 475 478 483 483 483 483 483 483 483 483	

Product photo * featured image	Dimensional drawing * featured image	ltem no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (£)
1	112cm - 152cm	501-43 9W112-152 501-43 9S112-152 501-43 9B112-152 *	White Silver Black	65-125	32	100	514 514 514
M	5 5 48cm	501-43 9W112-091C 501-43 9W152-091C 501-43 9W152-111A 501-43 9W152-151A 501-43 9W172-171A 501-43 9W172-171A 501-43 9S152-091C 501-43 9S152-091C 501-43 9S172-111A 501-43 9S172-111A 501-43 9B172-171A 501-43 9B152-091C 501-43 9B152-151A 501-43 9B152-151A 501-43 9B152-151A 501-43 9B152-151A 501-43 9B152-151A	White White White White White Silver Silver Silver Silver Silver Silver Black Black Black Black Black Black	65-125	32	100	766 767 764 804 766 806 767 764 804 766 806 766 767 764 804 766 806 806
11	342cm ∳∮£	501-47 9W112 501-47 9W152 501-47 9W172 501-47 9W222 501-47 9W302 501-47 9W342 501-47 9C152 501-47 9C152 501-47 9C172 501-47 9C222 501-47 9C302 501-47 9C342 501-47 9B112 501-47 9B152 501-47 9B152 501-47 9B172 501-47 9B302 501-47 9B302 501-47 9B302	White White White White White Chrome Chrome Chrome Chrome Chrome Black Black Black Black Black Black	68-118		150	534 539 544 802 812 822 691 696 701 1037 1047 1057 534 539 544 802 812 812

roduct photo eatured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (£)
		501-49 9W092	White	65-125	32	100	537
		501-49 9W112	White				540
		501-49 9W129	White				545
		501-49 9W152	White				545
		501-49 9W172	White				550
T		501-49 9S092	Silver				537
F	174cm	501-49 9S112	Silver				540
	ess de la companya de	501-49 9S129	Silver				545
1	8	501-49 9S152	Silver				545
1	a (73)	501-49 9S172	Silver				550
		501-49 9B092	Black				537
		501-49 9B112	Black				540
		501-49 9B129	Black				545
		501-49 9B152	Black				545
		501-49 9B172 *	Black				550
		501-49 9W112-152	White	65-125	32	100	576
T		501-49 9S112-152	Silver				576
Γ T	114cm - 154cm	501-49 9B112-152 *	Black				576
		501-88 9W092	White	65-125	32	100	898
		501-88 9W112	White				904
		501-88 9W129	White				914
		501-88 9W152	White				914
		501-88 9W172	White				924
	172cm	501-88 9S092	Silver				898
	De	501-88 9S112	Silver				904
	119cm	501-88 9S129	Silver				914
	110	501-88 9S152	Silver				914
	J=====€	501-88 9S172	Silver				924
		501-88 9B092	Black				898
		501-88 9B112	Black				904
		501-88 9B129	Black				914
		501-88 9B152	Black				914
		501-88 9B172 *	Black				924
		501-88 9W112-152	White	65-125	32	100	976
	112cm -152cm	501-88 9S112-152	Silver				976
Th	119cm	501-88 9B112-152 *	Black				976

tem no.	Beech veneer	Maple veneer	Beech mel.	Walnut mel.	White mel.	Item no.	Beech veneer	Maple veneer	Beech mel.	Walnut mel.	White mel
060-60S						117H3					
60cm ق ق	34	37	N/A	N/A	N/A	117cm	N/A	N/A	84	84	84
80C						120-60S3					
180cm	159	181	N/A	N/A	N/A	120cm	N/A	N/A	66	66	66
80L2						120-80S3					
180cm 5000 60cm	196	231	N/A	N/A	N/A	120cm	N/A	N/A	70	70	70
80R2						138H3					
E B G G G G G G C M G G C M G G G G G G G G	196	232	N/A	N/A	N/A	138cm	N/A	N/A	102	102	102
)80-60S3						140-80S3					
80cm • 5000 9000	N/A	N/A	58	58	58	140cm	N/A	N/A	77	77	77
100-60S3						160-80S3					
100cm	N/A	N/A	63	63	63	160cm	N/A	N/A	85	85	85
100-80S3						180-80S3					
100cm	N/A	N/A	68	68	68	180cm	N/A	N/A	92	92	92

Electric height adjustable desks since 2000 Accessories

Product photo	Dimensional drawing		Item no.	Price (£)
0000 - ⁶		Control panel - programmable	139250	56
		CPU-holder, Metal, Black	400-4B	47
		CPU-holder, metal, Silver	400-4S	47
		Wheel set, 501-11	501-11 HXXX	33
2		501-11 Tilt device - devided top tilt	501-11 V-DELT	87
		501-11 Tilt device - whole top tilt	501-11 V-HEL	87
J. J. J.	U	Wheel set, 501-19, 501-27	501-19 HXXX	27
		501-19 - Manuel tilt full top	501-19 V-HEL	76
	75	Screen 1200x750, grey	501-XX AG120	94

Product photo	Dimensional drawing		ltem no.	Price (£)
	75	Screen 1600x750, grey	501-XX AG160	134
	75	Screen 1800x750, grey	501-XX AG180	159
C.	12,8	Universal cable-tray, Black	501-XX CB096-166	41
	12,8	Universal cable-tray, Silver	501-XX CS096-166	41
	12,8	Universal cable-tray, White	501-XX CW096-166	41
		Cable insert, 30x14cm	501-XX GRO	22
0 0 0 0		Wheel set, 501-37	501-XX HXX1	38
PS.	t	Battery pack, ConSet Frame	BAT-24-1,7	158

Elegeneral information - Before you buy!

ONE MOTOR THAT DOES IT ALL

Prolonged sitting has become part of everyday life for many office employees. When you're sitting still in front of a computer for hours every day, the risk of injuries increases and it influences your level of energy. A height adjustable desk from ConSet gives you the ability to go from the sitting to the standing position whenever you wish at the push of a button. The technique in and around the motor is the heart of the desk. It ensures calm and gentle movements when you wish to move the table top either up or down and it ensures that the table top is always evenly adjusted.

With ConSet you get a one-motor-desk that does it all.

- Reliable
- High quality
- Great lifting capacity
- High construction strength
- Good prices

STRENGTH & STABILITY

Stability means everything when you're choosing an office desk. Every height adjustable desk from ConSet is made from quality materials and meet both the EU and Danish working environment authority's demands on a flexible and ergonomic workplace. This ensures you a stable and long lasting desk – and greater employee well-being. Unlike many tables that have two motors, a ConSet table withstands an uneven load. This means that you can place your office equipment anywhere on the table top. The total load on the desk frame must always be within the maximum working load that is specified for each ConSet product.

ENVIRONMENT

At ConSet we think it is important to minimize environmental impacts. We want to take responsibility for ensuring that our products are made respecting the environment. We do this in several ways:

- Our wood products are FSC labelled, which is a guarantee that you can buy our tabletops and other wood products in good conscience.
 FSC criteria prohibits conversion of forests or any other natural habitat.
- All electronic equipment meet RoHS framework for the reduction of hazardous substances in electronics, whereby the environmental impact is minimized.
- Through Elretur (Denmark), we ensure that electronic waste is managed environmentally under the WEEE directive.

CE MARKING & PRODUCT APPROVALS

All ConSet electric height adjustable desk frames are CE marked in collaboration with the Technological Institute in Denmark. CE marking is a requirement for height adjustable desk frames and it allows you to be sure that the producer has been through all aspects of security risks. Furthermore, our power supplies are GS-tested (German standard).

EN 527-1/2/3: Dimensions / Mechanical safety requirements / Methods of Test for the Determination of Stability and Strength of the structure DS/EN 12720-21-22: Furniture - Assessment of surface resistance to cold liquids, wet and dry heat.

CONSET - A DANISH COMPANY

ConSet was founded in 2000 in Denmark, and our basic philosophy was that ergonomics should not be expensive. We began with the idea to develop and manufacture high quality electric height adjustable desks and to make them affordable so more people could experience the benefits of sit-stand desks. The company has succeeded well and now has distribution and subsidiaries throughout the world.





Electric height adjustable desks since 2000 Combination chart

Frames	Tops	060-605	180C	180L2	180R2	080-6053	100-6053	100-8053	117H3	120-6053	120-8053	138H3	140-80S3	160-8053	180-80S3	160-8053 + 080-6053	180-8053 + 100-6053	180L2 + 060-60S	180R2 + 060-60S	
Frames 501-11 9X116		0	-	-	-	0	-	-	-	-	•	-	-	-	~	-	-	-	-	
501-11 9X156			_	_	-						·			_	_					
501-11 9X156-156A			•	•	•									•	•	•	•	•	•	
501-19 9X060		•				•	•									•	•	•	•	
501-19 9X095		•				•	•	-	-		-	-								
501-19 9X117							-	•	•	_	•	•								
501-19 9X120							•	•	•	•	•	•								
501-23 9X190-190A									•	-	•	•							•	
501-23 9X190-190A				_											_	•	•	•	•	
501-25 9X084			•	•	•			_					•	•	•					
501-25 9X084			_					•			•									
501-25 9X155			_										•							
501-25 9X152 501-25 9X152-152A														•						
501-25 9X152-152A																•				
			•												•		_	_		
501-25 9X172-172A 501-33 9X092								_									•	•	•	
								•												
501-33 9X112											•									
501-33 9X129													•							
501-33 9X152														•						
501-33 9X172			•												•					
501-37 9X072						•														
501-37 9X092							•													
501-37 9X112										•										
501-37 9X152-154A																•				
501-37 9X172-114A				•	•															
501-37 9X172-174A																	•	•	•	
501-43 9X092								•												
501-43 9X112											•									
501-43 9X129													•							
501-43 9X152														•						
501-43 9X152-151A																•				
501-43 9X172			•												•					
501-43 9X172-111A				•	•															
501-43 9X172-171A																	•	•	•	
501-49 9X092								•												
501-49 9X112											•									
501-49 9X129													•							
501-49 9X152														•						
501-49 9X172			•												•					
501-88 9X112										•	•									
501-88 9X152														• For	mor	o cho	nices	500 C	oncot	t.org.u
501-88 98172														101	1101	c chi	nees.		211361	

501-88 9X172



UK Phone: 01245477922 DK Phone: +45 9680 0080

conset@interlineuk.com www.conset.org.uk

ConSet

