



Conset A/S
Att.: Gert Lassen
Stålvej 14
6900 Skjern

Order no. 295744B
Page 1 of 1
Appendices 2
Initials Laha/epn/hbs

Gregersensvej
DK-2630 Taastrup
Tel. +45 72 20 20 00
Fax +45 72 20 20 19

info@teknologisk.dk
www.teknologisk.dk

Test Report

Material: Model: SEL 1000

Type:	Bookcase			Lab.no.:	295744 B
Length:	1000 mm	Width:	380 mm	Height:	1158 mm
Weight:	39,0 kg				
Materials:	Body and shelves made of 19 mm beech veneered particleboard.				

Sampling: The test material was sampled by the client and received at the Danish Technological Institute 09-06-2009

Method: EN 14073-2:2004 Office furniture - Storage furniture - Part 2: Safety requirements.
Clauses 3.4, 3.5.1, 3.5.2.

Period: The testing was carried out from 17-06-2009 to 25-06-2009.

Result: Model SEL 1000 fulfils the requirements in EN 14073-2:2004 Office furniture - Storage furniture - Part 2: Safety requirements.
Individual results appear from Appendix 1.

Storage: The test material will be destroyed after 1 month, unless otherwise agreed.

Terms: The test has been performed according to the attached conditions, which are according to the guidelines laid down by DANAK (The Danish Accreditation). The testing is only valid for the tested specimen. The test report may only be extracted, if the laboratory has approved the extract.

29-06-2009, Danish Technological Institute, Wood and Textile, Taastrup

Test responsible

Co-reader

Order no. 295744B
 Appendix 1
 Page 1 of 1
 Initials Laha/epn/hbs

**Test of model: SEL 1000
 Lab. no.: 295744 B**

Test	Clause in test method	Result
3.4 General safety requirements	EN 14073-2, 3.4	Passed
3.5.1-1 Pull out of shelves	EN 14073-3, 5.3.1	Passed
3.5.1-2 Strength of shelf supports	EN 14073-3, 5.3.2	Passed
3.5.1-3 Strength of top surfaces	EN 14073-3, 5.4	N/A
3.5.1-4 Strength of extension elements	EN 14074, 6.2.1	N/A
3.5.1-5 Slam open of extension elements	EN 14074, 6.2.3	N/A
3.5.1-6 Interlock test	EN 14074, 6.2.4	N/A
3.5.1-7 Vertical load on pivoted door	EN 14074, 6.3.1	N/A
3.5.1-8 Slam shut/open of sliding doors and horizontal roll fronts	EN 14074, 6.4.2	N/A
3.5.1-9 Strength of flaps	EN 14074, 6.6.1	N/A
3.5.1-10 Floor standing units attached to the building	EN 14073-3, 5.7	N/A
3.5.1-11 Stability	EN 14073-3, 5.5.1 + EN 14073-3, 5.5.2	Passed
3.5.2 Sliding tendency for stacked units	EN 14073-3, 5.2	Passed
In directions B and C (front and back) the force is applied 90 cm above the floor		

Order no. 295744B
Appendix 2
Page 1 of 1
Initials Laha/epn/hbs

Test of model: SEL 1000
Lab. no.: 295744 B

Photo



The general conditions pertaining to assignments accepted by Danish Technological Institute shall apply in full to the technical testing and calibration at Danish Technological Institute and to the completion of test reports and calibration certificates within the relevant field.

Danish Accreditation (DANAK)

DANAK was established in 1991 in pursuance of the Danish Act No. 394 of 13 June 1990 on the promotion of Trade and Industry.

The requirements to be met by accredited laboratories are laid down in the "Danish Agency for Trade and Industry's ("Erhvervsfremme Styrelsens") Statutory Order on accreditation of laboratories to perform testing etc. and GLP inspection. The statutory order refers to other documents, where the criteria for accreditation are specified further.

The standards DS/EN ISO/IEC 17025 "General requirements for the competence of testing and calibration laboratories" and DS/EN 45002 "General criteria for the assessment of testing laboratories" describe fundamental criteria for accreditation. DANAK uses guidance documents to clarify the requirements in the standards, where this is considered to be necessary. These will mainly be drawn up by the "European co-operation of Accreditation (EA)" or the "International Laboratory Accreditation Co-operation (ILAC)" with the purpose of obtaining uniform criteria for accreditation. In addition, DANAK draws up Technical Regulations with specific requirements for accreditation that are not contained in the standards.

In order for a laboratory to be accredited it is, among other things, required:

- that the laboratory and its personnel are not subject to any commercial, financial or other pressures, which might influence their technical judgement

- that the laboratory operates a documented quality system
- that the laboratory has at its disposal all items of equipment, facilities and premises required for correct performance of the service that it is accredited to perform
- that the laboratory management and personnel have technical competence and practical experience in performing the service that they are accredited to perform
- that the laboratory has procedures for traceability and uncertainty calculations
- that accredited testing or calibration is performed in accordance with fully validated and documented methods
- that the laboratory keeps records, which contain sufficient information to permit repetition of the accredited test or calibration
- that the laboratory is subject to surveillance by DANAK on a regular basis
- that the laboratory shall take out an insurance, which covers liability in connection with the performance of accredited services

Reports carrying DANAK's logo are used, when reporting accredited services and show that these have been performed in accordance with the rules for accreditation.